

Notice of Allowability	Application No.	Applicant(s)	
	09/889,373	KAINE ET AL.	
	Examiner	Art Unit	
	Fred Tzeng	2651	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 8/25/2004.
2. ☒ The allowed claim(s) is/are 4-9 which are now renumbered as 1-6.
3. ☒ The drawings filed on 16 July 2001 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| <ol style="list-style-type: none"> 1. <input type="checkbox"/> Notice of References Cited (PTO-892) 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | <ol style="list-style-type: none"> 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____ 7. <input type="checkbox"/> Examiner's Amendment/Comment 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance 9. <input type="checkbox"/> Other _____ |
|---|--|

Reason for Allowance

1. The following is an examiner's statement of reasons for allowance:

Claims 4-9 which are now renumbered as 1-6 are allowable over the prior art of record because none of the prior art of record teaches or fairly suggests a magnetic recording apparatus specifically comprising a cancel mean for canceling crosstalk from at least a signal among the three signals outputted from a photodetection means, to the other signal, and reducing an influence of crosstalk between signals on tracking error detection to enable high-precision tracking error signal to be detected. The cancel means comprising of first and second voltage-dividing means which perform voltage division on a output signal from a first photosensitive part of the photodetection means; a first differential arithmetic means for performing differential calculation on the signal output respectively from a second photosensitive part of the three photosensitive parts of the photodetection means and an output signal from the first voltage-dividing means; and a second differential arithmetic means for performing differential calculation on signal output respectively from a third photosensitive part of the three photosensitive parts of the photodetection means and an output signal from the second voltage-dividing means. It is noted that the closest prior art, Kojima (USPN 6,580,580) shows a magnetic memory drive comprises a light source, a diffraction element, a light-converging optical system, a photodetection means, a signal processing means and a driving means. However, Kojima fails to disclose a cancel means specifically comprising of first and second voltage-dividing means, a first and a second differential arithmetic means for canceling cross talk from at least a signal among the three signals

Art Unit: 2651

outputted from a photodetection means, to the other signal, and reducing an influence of crosstalk between signals on tracking error detection to enable high-precision tracking error signal to be detected.

2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any response to this office action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

(703) 308-9051, (formal communications, please mark
"EXPEDITED PROCEDURE")

Or:

(703) 308-6606 (for informal or draft communications, please label
"PROPOSED" or "DRAFT")

Hand-delivered responses should be brought to Crystal Park II, 2021
Crystal Drive, Arlington. V.A., Sixth Floor (receptionist).

4. Any inquiry concerning this communication from the examiner should be directed to Fred Tzeng whose telephone number is 703-305-4841. The examiner can normally be reached on weekdays from 9:30 am to 6:00 pm.

Art Unit: 2651

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sinh Tran can be reached on 703-305-4040. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9306 for regular communications and 703-746-5710 for After Final communications.

5. Informal regarding the status of an application may be obtained from the Patent Application Information Retrieval (**PAIR**) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Fred F. Tzeng

F.T.

December 07, 2004

Sinh Tran

**SINH TRAN
PRIMARY EXAMINER**